

Work Order ID 148869

Tuesday, July 12, 2016 8:51:16 AM

148869

Page 1

Item ID: D206-781-011L08**Accept*****N900040100*****Setup Start *NS1*****Revision ID:****Stop *NS2*****Item Name:** Floor Protector - Pilot & Co-Pilot Clear**Start Date:** 7/7/2016 **Start Qty:** 3.00 ***3*****Cust Item ID:****Required Date:** 7/12/2016 **Req'd Qty:** 3.00 ***3*****Customer:****Reference:**

Approvals: **Process Plan:** DAS 21 **Date:** JUL 13 2016 **Tooling:** _____ **Date:** _____
QC: 9-89 **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Run Start *NR1*
Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
DSI9695	A	OCT 14 2016					DAS 21 9-89	10-10-17	
100	Document Control	0.00							
100									
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D206-781-011 Chg001								
						3 DAS 27 9-89		3	
									OCT 7 7 2016
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
						3	DAS 28 9-89		
									OCT 14 2016
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.01							
Quality Control									
						3 DAS 27 9-89			

OCT 27 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 148869

Tuesday, July 12, 2016 8:51:16 AM

148869

Page 2

Item ID: D206-781-011L08

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Floor Protector - Pilot & Co-Pilot Clear

Start Date: 7/7/2016 Start Qty: 3.00

3

Cust Item ID:

Required Date: 7/12/2016 Req'd Qty: 3.00

3

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							
130									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D206-781-011 Location: FG026								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.05							
Quality Control									

3
DAS 27 9-89
DAS 28 9-89
OCT 27 2016

DAS 21 9-89

OCT 28 2016

DAS 21 9-89

OCT 28 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Tuesday, July 12, 2016 8:51:16 AM

1 48869

D206-781-0111 08

Required Date: 7/12/2016

Required Qty: 3.00

IPP Rev. C

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3874-1L08		Manufactured	No			110	Each	1.0000	1	3			DAS 28 9-89
D3874-1L08									**	15479	OCT 14 2016		
Floor Protector - Co-pilot Clear													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					DAS 6 9-89
				ST425		1							
					128126	1							
D3874-2L08		Manufactured	No			110	Each	0.0000	1	3			DAS 28 9-89
D3874-2L08									**	157508	OCT 14 2016		
Floor Protector - Pilot Clear													
D3800-1-100		Manufactured	No			110	f	168.2680	10	30			DAS 28 9-89
D3800-1-100									**		OCT 14 2016		
Hook And Loop Strip (1" Soft)													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					DAS 6 9-89
				ST419		168.268							
					129125	26.6							
					142220	141.668							
D3800-3-100		Manufactured	No			110	f	87.6980	10	30			DAS 28 9-89
D3800-3-100									**		OCT 14 2016		
Hook And Loop Strip (1" Hard)													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					DAS 6 9-89
				ST419		87.698							
					129126	26.6							
					142219	61.098							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Tuesday, July 12, 2016 8:51:16 AM

Page 2

Work Order ID: 148869

148869

Parent Item: D206-781-011L08

D206-781-011L08

Parent Item Name: Floor Protector - Pilot & Co-Pilot Clear

Start Date: 7/7/2016

Required Date: 7/12/2016

Start Qty: 3.00

Required Qty: 3.00

AN4-13A Purchased No 110 Each 543.0000 2

AN4-13A

Bolt

**

6
135470
OCT 14 2016

DAS 28
6 9-89

DAS
27
9-89

Location	Loc Qty	Loc Code
FG	20	
122808	20	
GA	59	
m134167	35	
m134634	24	
over003	100	
m134943	100	
ST343	364	
m134852	364	

NAS1149D0463J Purchased No 110 Each 2,883.000 2

NAS1149D0463J

WASHER

**

6
135530
OCT 14 2016

DAS 28
6 9-89

DAS
27
9-89

Location	Loc Qty	Loc Code
GA	86	
M132035	21	
M134508	65	
ST260a	2000	
M134943	1000	
M135056	1000	
ST263	797	
M127693	24	
M134852	773	

Tuesday, July 12, 2016 8:51:16 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER :					

Picklist Print

Tuesday, July 12, 2016 8:51:16 AM

Page 3

Work Order ID: 148869

148869

Parent Item: D206-781-011L08

D206-781-011L08

Parent Item Name: Floor Protector - Pilot & Co-Pilot Clear

Start Date: 7/7/2016

Required Date: 7/12/2016

Start Qty: 3.00

Required Qty: 3.00

NAS43DD4-20

Purchased

No

110

Each

33.0000

2

6

NAS43DD4-20

SPACER

OCT 14 2016

DAS 6 28
9-89 9-89

DAS
27
9-89

Location

Loc Qty

Loc Code

ST262

8

122868

8

st552

25

m134764

25

NAS43DD4-64

Purchased

No

110

Each

12.0000

1

3

NAS43DD4-64

SPACER

OCT 14 2016

DAS 6 28
9-89 9-89

DAS
27
9-89

Location

Loc Qty

Loc Code

ST262

12

m129150

12

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D407-781 REV. E + IIN-D407-781-1 REV. A
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D407-781 REV. 4

REF TCCA STC: SH08-60
REF FAA STC: SR02726NY
REF EASA STC: EASA.IM.R.S.01541

PURPOSE:

To add the Black Floor Protectors and re-identify the existing Clear Floor Protectors as outlined in the following table.

Existing Part Number	New Part Numbers
D206-781-011	D206-781-011L02 (Black) D206-781-011L08 (Clear)
D206-781-021	D206-781-021L02 (Black) D206-781-021L08 (Clear)
D206-781-023	D206-781-023L02 (Black) D206-781-023L08 (Clear)
D407-781-025	D407-781-025L02 (Black) D407-781-025L08 (Clear)
D206-781-051	D206-781-051L02 (Black) D206-781-051L08 (Clear)
D206-781-053	D206-781-053L02 (Black) D206-781-053L08 (Clear)
D407-781-055	D407-781-055L02 (Black) D407-781-055L08 (Clear)

INSTALLATION:

The New Part Numbers listed in the table above should be installed and maintained per instructions provided in IIN-D407-781-1 and ICA-D407-781 for the Existing Part Numbers

WEIGHT AND BALANCE

The Weight and Balance for the New Part Numbers listed in the table above is the same as provided in IIN-D407-781-1 and ICA-D407-781 for the Existing Part Numbers.

PARTS LIST:

See pages 2-4 of this DSI

16-07-13
NO WORK ORDER
WITHOUT NOTICE
SUBJECT TO AMENDMENT
ENGINEERING
RETURN TO
SHOP COPY

CANADA DEPARTMENT OF TRANSPORT AIRCRAFT CERTIFICATION BRANCH DAO # 01-O-01	
APPROVED BY:  D. SHEPHERD (DE # 02)	
DATE:	14.04.09
CERT. NO.:	SH08-60
ISSUE NO.:	1

A	NEW ISSUE	AK	14.04.09
REV.	DESCRIPTION	BY	DATE
DESIGN	AK	DART AEROSPACE LTD	
DRAWN	AK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9695	SHEET 1 OF 4
APPROVED		TITLE	SCALE
DE APPR.		FLOOR PROTECTOR KIT, BLACK	NTS
DATE	14.04.09	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

BELL 206 A/B

QTY - 051L02	QTY - 051L08	QTY - 011L02	QTY - 011L08	QTY - 021L02	QTY - 021L08	PART NUMBER	DESCRIPTION
X						D206-781-051L02	FLOOR PROTECTOR KIT (BLACK) (PILOT, CO-PILOT, PASSENGER CABIN)
	X					D206-781-051L08	FLOOR PROTECTOR KIT (CLEAR) (PILOT, CO-PILOT, PASSENGER CABIN)
1		X				D206-781-011L02	FLOOR PROTECTOR KIT (BLACK) (PILOT AND CO-PILOT)
	1		X			D206-781-011L08	FLOOR PROTECTOR KIT (CLEAR) (PILOT AND CO-PILOT)
1				X		D206-781-021L02	FLOOR PROTECTOR KIT (BLACK) (PASSENGER ONLY)
	1				X	D206-781-021L08	FLOOR PROTECTOR KIT (CLEAR) (PASSENGER ONLY)
		1				D3874-1L02	FLOOR PROTECTOR, CO-PILOT (BLACK)
			1			D3874-1L08	FLOOR PROTECTOR, CO-PILOT (CLEAR)
		1				D3874-2L02	FLOOR PROTECTOR, PILOT (BLACK)
			1			D3874-2L08	FLOOR PROTECTOR, PILOT (CLEAR)
				1		D3875-1L02	FLOOR PROTECTOR, PASSENGER (BLACK)
					1	D3875-1L08	FLOOR PROTECTOR, PASSENGER (CLEAR)
				2	2	D3934-041	CLIP ASSEMBLY
				4	4	D4820-041	CLIP ASSEMBLY
	4	4				D3800-1-100-300	LOOP STRIP
	4	4				D3800-3-100-300	HOOK STRIP
				2	2	D3800-1-100-500	LOOP STRIP
				2	2	D3800-3-100-500	HOOK STRIP
		2	2			AN4-13A	BOLT
				4	4	AN525-10R6	SCREW
		2	2			AN960JD416	WASHER
		2	2			NAS43DD4-20	SPACER
		1	1			NAS43DD4-64	SPACER

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED


BY: *D. Shepherd*
D. SHEPHERD (DE # 02)

DATE: 14.04.09
CERT. NO.: SH08-60
ISSUE NO.: 1

DESIGN	AK	DART AEROSPACE LTD	
DRAWN	AK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9695	SHEET 2 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.		FLOOR PROTECTOR KIT, BLACK	NTS
DATE	14.04.09	COPYRIGHT © 2014 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 14.04.09
CERT. NO.: SH08-60
ISSUE NO.: 1

DATE 14.04.09

DESIGN	AK
DRAWN	AK
CHECKED	RF
MFG. APPR.	N/A
APPROVED	
DE APPR.	

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. DSI 9695

REV. A

SHEET 3 OF 4

SCALE

FLOOR PROTECTOR KIT, BLACK

NTS

COPYRIGHT © 2014 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD

QTY - 053L02	QTY - 053L08	QTY - 011L02	QTY - 011L08	QTY - 023L02	QTY - 023L08	PART NUMBER	DESCRIPTION
X						D206-781-053L02	FLOOR PROTECTOR KIT (BLACK) (PILOT, CO-PILOT, PASSENGER CABIN)
	X					D206-781-053L08	FLOOR PROTECTOR KIT (CLEAR) (PILOT, CO-PILOT, PASSENGER CABIN)
1		X				D206-781-011L02	FLOOR PROTECTOR KIT (BLACK) (PILOT AND CO-PILOT)
	1		X			D206-781-011L08	FLOOR PROTECTOR KIT (CLEAR) (PILOT AND CO-PILOT)
1				X		D206-781-023L02	FLOOR PROTECTOR KIT (BLACK) (PASSENGER ONLY)
	1				X	D206-781-023L08	FLOOR PROTECTOR KIT (CLEAR) (PASSENGER ONLY)
						D3874-1L02	FLOOR PROTECTOR, CO-PILOT (BLACK)
	1					D3874-1L08	FLOOR PROTECTOR, CO-PILOT (CLEAR)
		1				D3874-2L02	FLOOR PROTECTOR, PILOT (BLACK)
			1			D3874-2L08	FLOOR PROTECTOR, PILOT (CLEAR)
				1		D3898-1L02	FLOOR PROTECTOR, PASSENGER (BLACK)
					1	D3898-1L08	FLOOR PROTECTOR, PASSENGER (CLEAR)
				2	2	D3934-041	CLIP ASSEMBLY
	4	4				D3800-1-100-300	LOOP STRIP
	4		4			D3800-3-100-300	HOOK STRIP
				2	2	D3800-1-100-500	LOOP STRIP
				2	2	D3800-3-100-500	HOOK STRIP
						AN4-13A	BOLT
				4	4	AN525-10R6	SCREW
						AN960JD416	WASHER
						NAS43DD4-20	SPACER
						NAS43DD4-64	SPACER


BELL 206 L/L1/L3/L4

BELL 407

QTY - 055L02	QTY - 055L08	QTY - 011L02	QTY - 011L08	QTY - 025L02	QTY - 025L08	PART NUMBER	DESCRIPTION
X						D407-781-055L02	FLOOR PROTECTOR KIT (BLACK) (PILOT, CO-PILOT, PASSENGER CABIN)
	X					D407-781-055L08	FLOOR PROTECTOR KIT (CLEAR) (PILOT, CO-PILOT, PASSENGER CABIN)
1		X				D206-781-011L02	FLOOR PROTECTOR KIT (BLACK) (PILOT AND CO-PILOT)
	1		X			D206-781-011L08	FLOOR PROTECTOR KIT (CLEAR) (PILOT AND CO-PILOT)
1				X		D407-781-025L02	FLOOR PROTECTOR KIT (BLACK) (PASSENGER ONLY)
	1				X	D407-781-025L08	FLOOR PROTECTOR KIT (CLEAR) (PASSENGER ONLY)
		1				D3874-1L02	FLOOR PROTECTOR, CO-PILOT (BLACK)
			1			D3874-1L08	FLOOR PROTECTOR, CO-PILOT (CLEAR)
		1				D3874-2L02	FLOOR PROTECTOR, PILOT (BLACK)
			1			D3874-2L08	FLOOR PROTECTOR, PILOT (CLEAR)
				1		D3940-1L02	FLOOR PROTECTOR, PASSENGER (BLACK)
					1	D3940-1L08	FLOOR PROTECTOR, PASSENGER (CLEAR)
		4	4			D3800-1-100-300	LOOP STRIP
		4	4			D3800-3-100-300	HOOK STRIP
				2	2	D3800-1-100-500	LOOP STRIP
				2	2	D3800-3-100-500	HOOK STRIP
		2	2			AN4-13A	BOLT
				2	2	AN525-10R6	SCREW
		2	2			AN960JD416	WASHER
		2	2			NAS43DD4-20	SPACER
		1	1			NAS43DD4-64	SPACER

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 14.04.09
CERT. NO.: SH08-60
ISSUE NO.: 1

DESIGN	AK	DART AEROSPACE LTD	
DRAWN	AK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9695	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		FLOOR PROTECTOR KIT, BLACK	NTS
DATE	14.04.09	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

Work Order ID 148869

Monday, October 17, 2016 7:18:17 AM

148869

Page 1

Item ID: D206-781-011L08

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Floor Protector - Pilot & Co-Pilot Clear

Start Date: 7/7/2016 Start Qty: 3.00

3

Cust Item ID:

Required Date: 7/12/2016 Req'd Qty: 3.00

3

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run

Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

DSI9695

A

DAS
21
9-89

OCT 17 2016

DAS
21
9-89DAS
21
9-89

OCT 17 2016

100

Document Control

0.00

100

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile &type labels per PPP D206-781-011
Chg001

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

120

QC4- 100% Inspect kits for completeness

0.00

120

QC

Memo

0.01

Quality Control

5.0 PARTS LIST

5.1 BELL 206 A/B

Qty -051	Qty -011	Qty -021	Part Number	Description
X			D206-781-051	FLOOR PROTECTOR KIT (PILOT, CO-PILOT, PASSENGER CABIN)
1	X		D206-781-011	FLOOR PROTECTOR KIT (PILOT AND CO-PILOT)
1		X	D206-781-021	FLOOR PROTECTOR KIT (PASSENGER CABIN)
	1		D3874-1	FLOOR PROTECTOR, CO-PILOT
	1		D3874-2	FLOOR PROTECTOR, PILOT
		1	D3875-1	FLOOR PROTECTOR, PASSENGER
		2	D3934-041	CLIP ASSEMBLY
	4		D3800-1-100-300	LOOP STRIP
	4		D3800-3-100-300	HOOK STRIP
		2	D3800-1-100-500	LOOP STRIP
		2	D3800-3-100-500	HOOK STRIP
	2		AN4-13A	BOLT
		4	AN525-10R6	SCREW
	2		AN960JD416	WASHER
	2		NAS43DD4-20	SPACER
	1		NAS43DD4-64	SPACER

5.2 BELL 206 L/L1/L3/L4

Qty -053	Qty -011	Qty -023	Part Number	Description
X			D206-781-053	FLOOR PROTECTOR KIT (PILOT, CO-PILOT, PASSENGER CABIN)
1	X		D206-781-011	FLOOR PROTECTOR KIT (PILOT AND CO-PILOT)
1		X	D206-781-023	FLOOR PROTECTOR KIT (PASSENGER CABIN)
	1		D3874-1	FLOOR PROTECTOR, CO-PILOT
	1		D3874-2	FLOOR PROTECTOR, PILOT
		1	D3898-1	FLOOR PROTECTOR, PASSENGER
		2	D3934-041	CLIP ASSEMBLY
	4		D3800-1-100-300	LOOP STRIP
	4		D3800-3-100-300	HOOK STRIP
		2	D3800-1-100-500	LOOP STRIP
		2	D3800-3-100-500	HOOK STRIP
	2		AN4-13A	BOLT
		4	AN525-10R6	SCREW
	2		AN960JD416	WASHER
	2		NAS43DD4-20	SPACER
	1		NAS43DD4-64	SPACER